

NAME

wimjoin– Join a split WIM into a standalone WIM

SYNOPSIS

wimjoin [*OPTION...*] *OUT_WIMFILE SPLIT_WIM_PART...*

DESCRIPTION

wimjoin, or equivalently **wimlib-imagex join**, joins the *SPLIT_WIM_PARTs* into a standalone (one-part) WIM *OUT_WIMFILE*. All parts of the split WIM must be specified; you probably want to do so using a shell wildcard.

OPTIONS**--check**

When reading each *SPLIT_WIM_PART*, verify its integrity if it contains extra integrity information. In addition, include extra integrity information in *OUT_WIMFILE*, even if the split WIM parts did not contain this information.

--include-integrity

Include extra integrity information in *OUT_WIMFILE*, i.e. like **--check** but don't also verify the split WIM parts beforehand.

EXAMPLES

Join a split WIM, with the parts named 'windows*.swm' where the * is anything (usually the number of the part, except for the first part which may have no number), and write the joined WIM to the file 'windows.wim'.

```
wimjoin windows.wim windows*.swm
```

NOTES

Both non-pipable and pipable split WIMs may be joined.

wimjoin is roughly equivalent to:

```
wimexport SWM_PART_1 --ref="SWM_GLOB" all OUT_WIMFILE
```

SEE ALSO

wimlib-imagex(1) **wimexport**(1) **wimsplit**(1)